

## **CPSC GENERAL CONFORMITY CERTIFICATE**

Description of information Provided URL Pharma Product Information

| Product   | Doxycycline Hyclate Capsules 100 MG  |
|---|--|
| NDC #   | 53489-119-02   |
|   | Owens-Illinois Closures, Inc.  |
| Closure Manufacturer  | 1 Michael Owens Way  |
|   | Perrysburg, OH 43551   |
| Product safety Regulation   | 16 C.F.R. Part 1110: "-certifying that the products comply with all applicable CPSC consumer product safety rules and similar rules, bans, standards and regulations under |
|   | any other laws administered by the Commission"   |
| Record maintenance Contact Information and NDC product was Manufactured | Mutual Pharmaceutical Company Inc.<br>1100 Orthodox Street<br>Philadelphia, PA19124.   |
|   | Phone # (800) 523-3684 Fax # 215-288-6559  |
| Date and location where child resistant                                 | October 2006   |
| feature was tested for compliance with the product safety regulation    | Lancaster, PA, USA   |



## **CPSC GENERAL CONFORMITY CERTIFICATE**

<u>Description of information Provided</u> <u>URL Pharma Product Information</u>

| Product  | Doxycycline Hyclate Capsules 100 MG   |
|--|---|
| NDC #  | 53489-119-02  |
| Closure Manufacturer   | Berry Plastic Corporation<br>1706 Hempstead Road<br>Lancaster, PA 17601<br>Phone: (717) 299-6511  |
| Product safety Regulation  | 16 C.F.R. Part 1110: "-certifying that the products comply with all applicable CPSC consumer product safety rules and similar rules, bans, standards and regulations under any other laws administered by the Commission" |
| Record maintenance Contact Information and NDC product was Manufactured                                      | Mutual Pharmaceutical Company Inc.<br>1100 Orthodox Street<br>Philadelphia, PA19124.<br>Phone # (800) 523-3684<br>Fax # 215-288-6559  |
| Date and location where child resistant feature was tested for compliance with the product safety regulation | November 2008<br>Hightstown, NJ, USA  |