#### **Medication Guide**

## Levorphanol Tartrate (lee vor' fa nol tar' trate) Tablets USP, CII

## Levorphanol tartrate tablets are:

- A strong prescription pain medicine that contains an opioid (narcotic) that is used to manage pain, severe enough to require an opioid pain medicine when other pain treatments such as non-opioid pain medicines do not treat your pain well enough or you cannot tolerate them
- An opioid pain medicine that can put you at risk for overdose and death.
   Even if you take your dose correctly as prescribed you are at risk for opioid addiction, abuse, and misuse that can lead to death.

#### Important information about levorphanol tartrate tablets:

- Get emergency help or call 911 right away if you take too much levorphanol tartrate tablets (overdose). When you first start taking levorphanol tartrate tablets, when your dose is changed, or if you take too much (overdose), serious or life-threatening breathing problems that can lead to death may occur. Talk to your healthcare provider about naloxone, a medicine for the emergency treatment of an opioid overdose.
- Taking levorphanol tartrate tablets with other opioid medicines, benzodiazepines, alcohol, or other central nervous system depressants (including street drugs) can cause severe drowsiness, decreased awareness, breathing problems, coma and death.
- Never give anyone else your levorphanol tartrate tablets. They could die from taking it. Selling or giving away levorphanol tartrate tablets is against the law.
- Store levorphanol tartrate tablets securely, out of sight and reach of children, and in a location not accessible by others, including visitors to the home.

#### Do not take levorphanol tartrate tablets if you have:

- severe asthma, trouble breathing, or other lung problems.
- a bowel blockage or have narrowing of the stomach or intestines.
- previously had an allergic reaction to levorphanol.

# Before taking levorphanol tartrate tablets, tell your healthcare provider if you have a history of:

- head injury, seizures
   liver, kidney, thyroid problems
- problems urinating
   pancreas or gallbladder problems
- abuse of street or prescription drugs, alcohol addiction, opioid overdose, or mental health problems.

### Tell your healthcare provider if you are:

- noticing your pain getting worse. If your pain gets worse after you
  take levorphanol tartrate tablets, do not take more of levorphanol
  tartrate tablets without first talking to your healthcare provider. Talk to
  your healthcare provider if the pain that you have increases, if you feel
  more sensitive to pain, or if you have new pain after taking levorphanol
  tartrate tablets.
- pregnant or planning to become pregnant. Use of levorphanol tartrate tablets for an extended period of time during pregnancy can cause withdrawal symptoms in your newborn baby that could be lifethreatening if not recognized and treated.
- breastfeeding. Levorphanol passes into breast milk and may harm your baby. Carefully observe infants for increased sleepiness (more than usual), breathing difficulties, or limpness. Seek immediate medical care if you notice these signs.

- living in a household where there are small children or someone who has abused street or prescription drugs.
- taking prescription or over-the-counter medicines, vitamins, or herbal supplements. Taking levorphanol tartrate tablets with certain other medicines can cause serious side effects that could lead to death.

#### When taking levorphanol tartrate tablets:

- Do not change your dose. Take levorphanol tartrate tablets exactly as prescribed by your healthcare provider. Use the lowest dose possible for the shortest time needed.
- For acute (short-term) pain, you may only need to take levorphanol tartrate tablets for a few days. You may have some levorphanol tartrate tablets left over that you do not use. See disposal information at the bottom of this section for directions on how to safely throw away (dispose of) your unused levorphanol tartrate tablets.
- Take your prescribed dose every 6 to 8 hours as needed for pain. Do not take more than your prescribed dose. If you miss a dose, take your next dose at your usual time.
- Call your healthcare provider if the dose you are taking does not control your pain.
- If you have been taking levorphanol tartrate tablets regularly, do not stop taking without talking to your healthcare provider.
- Dispose of expired, unwanted, or unused levorphanol tartrate tablets by promptly flushing down the toilet if a drug take-back option is not readily available. Visit www.fda.gov/drugdisposal for additional information on disposal of unused medicines.

## While taking levorphanol tartrate tablets DO NOT:

- Drive or operate heavy machinery, until you know how levorphanol tartrate tablets affects you. Levorphanol tartrate tablets can make you sleepy, dizzy, or lightheaded.
- Drink alcohol or use prescription or over-the-counter medicines that contain alcohol. Using products containing alcohol during treatment with levorphanol tartrate tablets may cause you to overdose and die.

# The possible side effects of levorphanol tartrate tablets:

 constipation, nausea, sleepiness, vomiting, tiredness, headache, dizziness, abdominal pain. Call your healthcare provider if you have any of these symptoms and they are severe.

## Get emergency medical help or call 911 right away if you have:

trouble breathing, shortness of breath, fast heartbeat, chest pain, swelling
of your face, tongue, or throat, extreme drowsiness, light-headedness
when changing positions, feeling faint, agitation, high body temperature,
trouble walking, stiff muscles, or mental changes such as confusion.

These are not all the possible side effects of levorphanol tartrate tablets. Call your healthcare provider for medical advice about side effects. You may report side effects to FDA at 1-800-FDA-1088. For more information go to dailymed.nlm.nih.gov.

Manufactured by:

Ohm Laboratories Inc.

New Brunswick, NJ

Distributed by:

Sun Pharmaceutical Industries, Inc.,

Cranbury, NJ 08512

call 1-800-406-7984

This Medication Guide has been approved by the U.S. Food and Drug Administration.

Iss. 03/2024

PLR Size: 7" x 10" (Folded Size: 7" x 5.1")

Color: Black

Track: A05/03/2024

Item Code : 0000000

BLACK