

of a Registered Medical Practitioner

WARNING: When pregnancy is detected, Olmesartan should be discontinued as soon as possible as it can cause injury and even death to the developing foetus when used during second and third trimesters of pregnancy.

Manufactured in India by
sun pharma laboratories Ltd.

Vill: Kokjhar, Mirza Palashbari Road,
P.O.: Palashbari, Dist: Kamrup, Assam-781128

M.L.: 374/DR/Mfg/2013

**Rx Olmesartan Medoxomil, Amlodipine
and Hydrochlorothiazide Tablets**

TriOlmesartan 40

Each film coated tablet contains:

Olmesartan Medoxomil IP 40 mg

Amlodipine Besilate IP
equivalent to Amlodipine 5 mg

Hydrochlorothiazide IP 12.5 mg

Excipients q.s.

Colours: Ferric Oxide (Red) USP-NF,
Titanium Dioxide IP

Dosage: As directed by the Physician.

Store at room temperature,
protected from light and moisture.

SCHEDULE G PRESCRIPTION DRUG - CAUTION

It is dangerous to take this preparation except
under medical supervision.

SCHEDULE H PRESCRIPTION DRUG - CAUTION

Not to be sold by retail without the prescription
of a Registered Medical Practitioner.

WARNING: When pregnancy is detected,
Olmesartan should be discontinued as soon as
possible as it can cause injury and even death to
the developing foetus, when used during second
and third trimesters of pregnancy.



B. No.: GTD2020A
Mfg. Dt.: 10/2022
Exp. Dt.: 09/2024
M.R.P. Rs. 247.00
(Incl. of all taxes)
per 10 Tablets

of a Registered Medical Practitioner.

WARNING: When pregnancy is detected, Olmesartan should be discontinued as soon as possible as it can cause injury and even death to the developing foetus, when used during second and third trimesters of pregnancy.

Manufactured in India by:
Sun pharma laboratories Ltd.

VIII, Kokjhar, Mirza Palashbari Road,
P.O.: Palashbari, Dist. Kamrup, Assam-781128.

M.L.: 374/DR/Mfg/2013

**Rx Olmesartan Medoxomil, Amlodipine
and Hydrochlorothiazide Tablets**

TriOlmesartan 40

Each film coated tablet contains:

Olmesartan Medoxomil IP 40 mg

Amlodipine Besilate IP
equivalent to Amlodipine 5 mg

Hydrochlorothiazide IP 12.5 mg

Excipients q.s.

Colours: Ferric Oxide (Red) USP-NF,
Titanium Dioxide IP

Dosage: As directed by the Physician.

Store at room temperature,
protected from light and moisture.

SCHEDULE G PRESCRIPTION DRUG - CAUTION

It is dangerous to take this preparation except
under medical supervision.

SCHEDULE H PRESCRIPTION DRUG - CAUTION

Not to be sold by retailers without the prescription
of a Registered Medical Practitioner.

WARNING: When pregnancy is detected,
Olmesartan should be discontinued as soon as
possible as it can cause injury and even death to
the developing foetus, when used during second
and third trimesters of pregnancy.

