

Cover Sheet

To:	Product Monitoring Department	Company:	Sn Pharma
Email:			
From:	Kaiser Pharmacy B	Phone:	559-448-4440
Date:	7/10/2023	Pages:	2
Re:	Kaiser Pharmacy B 37410 - Notification of Manufacturer Shortage		

Confidentiality Notice

The document accompanying this transmission contains confidential information intended for a specific individual and purpose. The information is private and is legally protected by law. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or the taking of any action in reliance on the contents of this telecopied information is strictly prohibited. Please notify the sender if the documents were not intended for receipt by your facility.

7/10/2023

Attn: Product Complaints Dept.

Notification of Manufacturer Discrepancy

Kaiser Permanente (KP) is reporting that when we opened and counted the contents of the bottle(s) listed in the Drug Information table, we discovered the bottle did not contain the quantity listed on the bottle.

Pharmacy License Name:		Kaiser Permanente Pharmacy #722
Pharmacy Address:		7300 N. Fresno St. Fresno, CA 93720
BOP License #:		37410
DEA Registration #:		BK2883759
Pharmacist In Charge Name:		Jeeteen Vallabh
Pharmacist In Charge License #:		65137
Pharmacist In Charge Phone #:		(559) 448-3156
Pharmacist In Charge Email Address:		jeeteen.vallabh@kp.org

Drug Information										
Drug Name	Strength	Dosage Form	NDC #	Manufacturer Name	Lot #	Expiration Date	Size	Quantity	Issue (Check One)	Date Issue Found
Clonazepam ODT	0.125mg	Tab	57664-0783-86	Sun	MHD0929A	08/2024	100	2	☒ Shortage ☐ Broken ☐ Overage	07/06/2023
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage ☐ Shortage	
									☐ Broken ☐ Overage 	