

270MM

210MM

90MM

Rivaroxaban SUN

- Tell your health care provider about any other medicines you are currently taking, took recently or intend to start taking, before you start Rivaroxaban SUN.
- Tell your health care provider that you are taking Rivaroxaban SUN before any surgery or invasive procedure.

When should I seek advice from my health care provider?

When taking a blood thinner such as Rivaroxaban SUN it is important to be aware of its possible side effects. Bleeding is the most common side effect. Do not start taking Rivaroxaban SUN if you know you are at risk of bleeding, without first discussing this with your doctor. Tell your health care provider straight away if you have any signs or symptoms of bleeding such as the following:

- pain
- swelling or discomfort
- headache, dizziness or weakness
- unusual bruising, nosebleeds, bleeding of gums, cuts that take a long time to stop bleeding
- menstrual flow or vaginal bleeding that is heavier than normal
- blood in your urine which may be pink or brown, red or black stools
- coughing up blood, or vomiting blood or material that looks like coffee grounds

Patient Card

- Rivaroxaban SUN 2.5 mg**
- Rivaroxaban SUN 10 mg**
- Rivaroxaban SUN 15 mg**
- Rivaroxaban SUN 20 mg**

- **Keep this card with you at all times**
- **Present this card to every physician or dentist prior to treatment**

How do I take Rivaroxaban SUN?

- To ensure optimal protection, Rivaroxaban SUN
 - 2.5 mg can be taken with or without food
 - 10 mg can be taken with or without food
 - 15 mg must be taken with food
 - 20 mg must be taken with food

945 5253472-0724-00

I am under anticoagulation treatment with Rivaroxaban SUN (rivaroxaban)

In case of emergency, please notify:

Please also notify:

Name: _____

Doctor's name: _____

Name: _____

Address: _____

Doctor's phone: _____

Phone: _____

Birth date: _____

Doctor's stamp: _____

Relationship: _____

Weight: _____

Other medicines / conditions: _____

Information for health care providers:

- INR values should not be used as they are not a dependable measure of the anticoagulant activity of Rivaroxaban SUN.

